

Wagners CFT Manufacturing Pty Ltd		MSDS No. WCFT 1004
Date of Issue: February 2009 Issue No.: 1	Page: 1 of 3	Pultruded Structural Sections



CFT Manufacturing Pty Ltd

ABN: 91 099 936 446

Contact Details: Ph (07) 4637 7755

Fax: (07) 4637 7756

Street Address:
Corner Anzac Avenue and Alderley Street
Toowoomba Queensland 4350

Postal Address:
PO Box 151
Drayton North Qld 4350

HAZARDS IDENTIFICATION

This product is not classified as hazardous according to the criteria of the NOHSC Australia.

PRODUCT IDENTIFICATION

Product Name: Hollow Pultruded Structural Sections of Varying Cross Sections.

Other Names: Not Applicable

Manufacturers Product Code: MPL004

Use: Structural Pultruded Section

UN Number: Not Applicable

Dangerous Goods Class: Not Applicable

Hazchem Code: Not Applicable

Poisons Schedule Number: Not Applicable

Physical Data

Appearance: Coloured fiberglass with hollow sections dimensions of varying lengths. Section sizes include: 50 x 50, 100 x 75, 100 x 100, 125 x 125.

Arm Density : 2000 kg / m³ (3.5 kg per lineal metre)

Melting Point: Not Applicable

Flashpoint: Not Applicable

Boiling Point: Not Applicable

Flammability Limits: Not Applicable

Vapour Pressure: Not Applicable

Solubility in Water: Insoluble

Wagners CFT Manufacturing Pty Ltd		MSDS No. WCFT 1001
Date of Issue: February 2009 Issue No.: 1	Page: 2 of 3	Pultruded Structural Sections

Ingredients:

Chemical Entity	CAS Number	Proportion
Vinylester Resin	025036-25-3	20%
Glass Fibre	65997-17-3	76%
Other Non-Hazardous Ingredients	Proprietary	4%

This is a commercial product whose exact ratio of components may slightly vary. Minor quantities of other non-hazardous ingredients are also possible.

HEALTH HAZARD INFORMATION

Acute Health Effects

- Swallowed:** Unlikely under normal conditions of use, but swallowing dust from this product may result in abdominal discomfort.
- Eye:** Dust from this product may irritate the eyes causing watering and redness.
- Skin:** Dust from this product may cause irritation of the skin through friction but is not absorbed through the skin.
- Inhaled:** Dust from this product may cause irritation of the nose, throat and lungs causing coughing and sneezing.

Chronic Health Effects

No known long term effects

First Aid

- Swallowed:** Wash out mouth with water. If irritation persists consult medical advice.
- Eye:** Flush with clean water for 15 minutes. If irritation continues seek medical advice.
- Skin:** Wash with soap and water. Apply skin moisturizer.
- Inhaled:** Remove exposed person to fresh air.
- Advice to Doctor:** Treat symptomatically.

Wagners CFT Manufacturing Pty Ltd		MSDS No. WCFT 1001
Date of Issue: February 2009 Issue No.: 1	Page: 3 of 3	Pultruded Structural Sections

PRECAUTIONS FOR USE

- Exposure Standards:** 10mg / m3 Dust NOS (not otherwise specified) (NOHSC 1995)
- Engineering Controls:** If dust is created when drilling or cutting the product in a poorly ventilated area local dust extraction is recommended.
- Personal Protection:** If dust is generated, use a class P1 or P2 respirator conforming to AS/NZS 1715 and 1716
Wear goggles or safety glasses if dust is likely to cause irritation.
Wear suitable gloves when cutting and drilling this product (preferably elbow length)
- Flammability:** Not Combustible, however decomposition in fire may cause toxic fumes.

SAFE HANDLING INFORMATION

- Storage and Transport:** Store in a dry place, preferably out of direct sunlight. Not regulated for Transport Purposes.
- Spills:** Remove bulk, then vacuum, avoid creating excessive dust.
- Disposal:** Waste should be placed in containers or bags that prevent dust emission, and disposed of in accordance with the local waste disposal authority requirements.
- Fire explosion / Hazard:** Not combustible, Fire fighters to wear self contained breathing apparatus.

OTHER INFORMATION

Emergency Numbers:

- | | |
|---|-----------------------|
| National Poisons Centre (24 hrs) | 13 11 26 |
| Wagners Group Safety Officer (8am to 5pm) | (07) 4637 7880 |

This MSDS summarizes at the date of issue Wagners CFT Manufacturing Pty Ltd 's best knowledge of the health and safety information of the product, and how best to transport, store and handle the product in the workplace. As Wagners has no control over the end use of its products, each user must, prior to acceptance of goods, review this MSDS in the context of how the product will be handled and used in the workplace. The user should contact this company should any clarification or further risk assessment be deemed necessary.